945 Warehouse Shipping Advice

Functional Group=SW

Purpose: This Draft Standard for Trial Use contains the format and establishes the data contents of the Warehouse Shipping Advice Transaction Set (945) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used by the warehouse to advise the depositor that shipment was made. It is used to reconcile order quantities with shipment quantities.

DLMS Note:

- 1. DoD distinguishes between materiel release confirmation, historical materiel release confirmation, materiel release denial, historical materiel release denial, materiel release advice, materiel release cancellation advice, lateral redistribution order (LRO) advice under Total Asset Visibility (TAV) procedures, historical materiel release cancellation advice, disposal release confirmation, historical disposal release confirmation, disposal release denial, historical disposal release denial, disposal release advice, disposal release cancellation advice, and historical disposal release cancellation advice transactions.
- 2. This transaction also accommodates the functionality for serial/lot number reporting transactions (based on non-MILSTRIP Document Identifier Code (DIC) BG1/BG2 published by NAVSUP P-724). This transaction may be used to provide Unique Item Identification (UII) when reporting under the standardized retail supply and transportation interchange for stock shipments as documented in DLM 4000.25 Volume 3. Refer to the IUID web at URL: http://www.acq.osd.mil/dpap/sitemap.html for DoD policy.
- 3. Users operating under the Defense Logistics Management Standards (DLMS) must reference the Unit of Issue and Purchase Unit Conversion Table and the Transportation Mode of Shipment Conversion Table which can be found on the Defense Logistics Management Standards Office Web site at www.dla.mil/j-6/dlmso.
- 4. This DLMS Implementation Convention (IC) contains:
- a. Data associated with a DLMS enhancement which may not be received or understood by the recipient's automated processing system. DLMS procedures may not have been developed. Components must coordinate requirements and business rules with Defense Logistics Management Standards Office prior to use.
- b. Data associated with an Approved Change which may not have an established implementation date. This data may not be received or understood by the recipient's automated processing system. Components must coordinate implementation with Defense Logistics Management Standards Office prior to use.
- c. Legacy MILSTRIP data which must be retained in the DLMS for a transition period to support transaction conversion in a mixed legacy MILSTRIP-DLMS environment. This data will be streamlined out once full DLMS implementation is reached. Components may coordinate with Defense Logistics Management Standards Office for early termination (or retention) of specific data requirements for users operating in a full DLMS environment.
- d. Data elements which have an expanded field size above existing legacy MILSTRIP capability which may not be supported by the recipient's automated processing system. Components must coordinate implementation with Defense Logistics Management Standards Office prior to use.
- e. Data associated with a DLMS enhancement authorized for implementation by modernized systems under DLMS migration. This data (including expanded field sizes) should be adopted during, or subsequent, to modernization when applicable to the Component's business process. Prior coordination is not required. Components should ensure that inclusion of this data in a DLMS transaction does not cause inappropriate rejection of the transaction.
- f. Data required to accommodate a Component-unique transaction requirement. Data does not apply to legacy MILSTRIP transactions.
- 5. This transaction may be used to provide item unique identification (IUID) information in accordance with DLMS procedures and OSD Supply Policy. Implementation is limited to the Positive Inventory Control (PIC) Nuclear Weapon Related Materiel (NWRM) Unique Item Tracking (UIT) program and the Retail Transportation and Supply Receipt and Acknowledgement Interchange (Distribution Code 111) under OSD Supply Policy for IUID. For all other procedures, the IUID information is a placeholder for DLMS enhancements pending development of DLMS procedures and overarching OSD Supply Policy. Refer to the IUID web at URL: http://www.acq.osd.mil/dpap/pdi/uid/ for DoD policy.
- 6. All new development and significant enhancements to the DLMS 945A must use the 4030 version of the DLMS Implementation Convention. The 4010 version of the DLMS 945A will be phased out in 2019, to correspond with the deadline for full DLMS compliance per the OSD AT&L Strategy.
- 7. This DLMS IC incorporates the following Proposed DLMS Change (PDC) and Approved DLMS Changes (ADC) listed. PDC/ADCs are available from the Defense Logistics Management Standards Office Web site: http://www.dla.mil/j-6/dlmso/elibrary/Changes/processchanges.asp
- PDC 1198, Establishing Visibility of Capital Equipment for Service Owned Assets Stored at DLA In support of FIAR Compliance
- ADC 48, Material Release Order and Material Release Advice

004030F945A0AP06 1 August 08, 2016

- ADC 48C, Addendum for Revision to DS 945A, Material Release Advice
- ADC 48D, Addendum for Revision to DS 945A, Material Release Advice
- ADC 48E, Addendum for Revision to DS 945A, Material Release Advice
- ADC 76, Air Force Unique Management Coding for NMC/MICAP
- ADC 77, Air Force Unique Management Coding for Materiel Management Aggregation Code (MMAC)
- ADC 121, Revision to DLMS Mapping for Disposal Shipment Confirmation to DS 945A, Material Release Advice (ASZ transaction mapping)
- ADC 161, Administrative Revision to DS 945A, Material Release Advice, to add Advice Code
- ADC 165, Optional Capability for Sending Information Copy of DLMS Supplement 856, 856S, 861, 867I, 870M, 945A, and 947I to a Component Unique Item Tracking (UIT) Registry (Supply)
- ADC 169, Inclusion of Data Supporting UID of Items in DLMS Requisition and Material Release Processes
- ADC 191, Management Codes on Supply Status Transaction
- ADC 197, Request for New Type of Physical Inventory/Transaction History Code and Add Code to Historical Transactions (DS 527R, 867I, 940R, 945A)
- ADC 205A, Assignment of MILSTRIP Document Number Serial Number RP 40/DLMS Utilization Code M for BRAC
- ADC 214, Revision to DS 945A Material Release Advice and 947I, Inventory Adjustment to Add Assemblage Identification Number, Build Directive Number, and Administrative Updates
- ADC 221, Communication of Unit Price and Total Price under DLMS
- ADC 221A, Revised Procedures associated with the DLMS Enhancement for Communication of Unit Price
- ADC 253, DLMS Material Release Confirmation Enhancements: Secondary Transportation Number, Carrier Identification, and POE
- ADC 284, Revisions to DLMS Supplements to Add Shop Service Center (SSC) for BRAC Inventory Management and Stock Positioning (IMSP)
- ADC 284A, Revisions to DLMS Supplements to Add Shop Service Center (SSC) for BRAC Inventory Management and Stock Positioning (IMSP)
- ADC 316, Transportation Supply Receipt and Acknowledgement
- Approved Addendum to ADC 316B, New Distribution Code (111) for Retail Transportation and Supply Receipt and Acknowledgement Interchange Transactions (940R and 945A)
- Approved Addendum to ADC 316C, Revise DLMS Supplement (DS) 945A Material Release Advice to Support Unique Item Tracking (UIT) for Air Force Positive Inventory Control (PIC) Nuclear Weapons Related Material (NWRM) under the Retail Transportation and Supply Receipt and Acknowledgement Interchange (Distribution Code of 111)
- Approved Addendum to ADC 316D, Air Force-Unique DIC Mappings to 940R under the Retail Transportation and Supply Receipt and Acknowledgement Transactions
- ADC 344, Revised DLMS Shipment Status (856S) in Support of Navy Enterprise Resource Program (ERP) and Commercial Asset Visibility II (CAV II) Systems and Carrier Name Field Length in Material Release Advice (945A) (Supply)
- ADC 347, Revise DLMS Supplement (DS) 527R Receipt, 867I Issue, 945A Materiel Release Advice, and 947I Inventory Adjustment to Support Unique Item Tracking for Air Force Positive Inventory Control (PIC)
- Withdrawal of Approved MILSTRAP/MILSTRIP Change Letter (AMCL) 5 and 13, Date Packed/Expiration for Subsistence Items (Staffed by PMCLs 3) (Supply/MILSTRIP/MILSTRAP)
- ADC 373, Document Process for Material Control Tracking (MCT) Tag Number and Revise DLMS 527D, 527R, 940R, and 945A in Support of BRAC SS&D/IMSP (Supply)
- ADC 381, Procedures and Additional Data Content supporting Requisitions, Requisition Alerts, and Unit of Use Requirements under Navy BRAC SS&D/IMSP
- Approved Addendum ADC 381A, Procedures and Additional Data Content supporting Unit of Use Requirements under Marine Corps BRAC Storage and Distribution
- ADC 396, Revised Procedures and Data Content for DLMS Materiel Release Order (940R) and Material Release Advice (945A) and New Denial Management Code for Marine Corps BRAC
- ADC 405, DLMS Mapping for Air Force Unique Transactions Used between Air Force Locations and Expeditionary Combat Support System (ECSS)
- ADC 411, Update Functionality for DS 856S Shipment Status and DS 945A Material Release Advice
- ADC 435, DLMS Revisions for SFIS Compliance
- ADC 436, Administrative Revisions to DLMS Supplements to Remove Obsolete Routing Identifier Code (RIC) "Streamline" Notes and Update MILSTRIP/DLMS Documentation Associated with Routing Identifiers
- ADC 449, Intra-DLA Revisions to the DLMS 945A, Materiel Release Advice, Cancellation Reason Code, Management Codes, and Associated Procedures under Reutilization Business Integration (RBI)
- ADC 466, Revised Procedures to Support Requisitioning and Transaction Exchange associated with DLA Disposition Services under Reutilization Business Integration (RBI)
- ADC 1009A, DLMS Enhancements for Requisitioning to Improve Use of Mark-for Addressing, Expand Authorized Priority Designator Validation, Correct EMALL Purchase/Credit Card Format Rules, and Require Distribution of Status for Requisitions associated with Purchase/Credit Card Payment
- ADC 1020, Inter-Service Ownership Transfer of Ammunition/Ammunition Related Materiel
- ADC 1034B, Administrative Correction to DLMS 945A, Materiel Release Advice, Cancellation Reason Code for Redistribution Orders Associated with DLA Disposition Services under Reutilization Business Integration (RBI)
- ADC 1040, Migrate Inter-Service Ammunition Serial Number and Lot Number Transactions (NAVSUP P- 724 DIC BG1/BG2) to DLMS 945A, Materiel Release Advice
- ADC 1043, DLMS Revisions for Department of Defense (DOD) Standard Line of Accounting (SLOA)/Accounting Classification
- ADC 1043C, Administrative Corrections for SLOA Data in the 810L Logistics Bill and other DLMS ICs
- ADC 1055, Add Cargo Movement Operations System (CMOS) Transportation In-checker Identification Information to the DLMS 945A Materiel Release Advice in Support of the Retail Supply and Transportation Interchange
- ADC 1073, Implementation of Item Unique Identification (IUID) in the DLMS 940R/945A Supporting the Supply-Transportation Interface; Creation of New DLMS 945A Implementation Convention (IC) Version 4030; Administrative Update to the DLMS 945A IC Version 4010 Organizational Name and Other Non-Substantive (Administrative) Updates Completed on May 30, 2014.
- 004030F945A0AP06 2 August 08, 2016

- ADC 1110, Administrative Update to Identify Code DPC Delivery Priority Code as an Approved X12 Migration Code and Associated DLMS Documentation; Identifies Additional Data Elements Authorized for Modification in the Requisition Modification Process
- ADC 1136, Revise Unique Item Tracking (UIT) Procedures to support DODM 4140.01 UIT Policy and Clarify Requirements (Supply)
- ADC 1156, DLA Disposition Services Procedures for the Foreign Military Sales (FMS) Case Number and New Indicators for FMS Freeze Information under Distribution Disposition Process Alignment (DDPA) Initiative
- ADC 1161, Update uniform Procurement Instrument Identifier (PIID) numbering system in the Federal/DLMS Implementation Conventions and DLMS Manuals (Supply/Contract Administration)
- ADC 1164, Revise DLMS 940R Materiel Release Order (MRO) and DLMS 945A Materiel Release Confirmation for Carrier Account Data Associated with Directed Return of Discrepant/Deficient Materiel and Procedures for use of the DLMS 940R when Directing Shipment of Discrepant/Deficient Materiel via Supply Discrepancy Report (SDR) Reply
- ADC 1207, Intra-DLA Revisions to DLMS 945A and Associated Procedures to Support Relocation of Material between DLA Disposition Services Field Offices under Reutilization Business Integration (RBI)

Heading:

<u>Pos</u>	<u>ld</u>	Segment Name	<u>Req</u>	Max Use	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
0100	ST	Transaction Set Header	М	1			Must use
0200	W06	Warehouse Shipment Identification	М	1			Must use
LOOP ID	<u>- 0100</u>				<u>10</u>		
0400	N1	Name	М	1			Must use
* 0500	N2	Additional Name Information	0	1			Not Used
* 0600	N3	Address Information	0	2			Not Used
* 0700	N4	Geographic Location	0	1			Not Used
0800	PER	Administrative Communications Contact	0	5			Used
* 0900	N9	Reference Identification	0	10			Not Used
* 1000	G61	Contact	0	3			Not Used
1100	G62	Date/Time	0	5			Must use
* 1200	NTE	Note/Special Instruction	0	20			Not Used
* 1300	W27	Carrier Detail	0	1			Not Used
* 1350	W6	Special Handling Information	0	1			Not Used
* 1400	W28	Consolidation Information	0	1			Not Used
* 1500	W10	Warehouse Additional Carrier Information	0	10			Not Used
* 1550	G72	Allowance or Charge	0	5			Not Used
* LOOP I	D - 0200				<u>10</u>		
* 1600	LM	Code Source Information	0	1			Not Used
* 1700	LQ	Industry Code	М	100			Not Used

Detail:

<u>Pos</u>	<u>ld</u>	Segment Name	<u>Req</u>	Max Use	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
LOOP ID	<u>- 0300</u>				<u>>1</u>		
0050	LX	Assigned Number	0	1			Used
* 0100	MAN	Marks and Numbers	0	>1			Not Used
* 0150	PAL	Pallet Information	0	1			Not Used
* 0170	N9	Reference Identification	0	5			Not Used
LOOP ID	<u>- 0310</u>				<u>>1</u>		
0200	W12	Warehouse Item Detail	0	1			Must use
* 0300	G69	Line Item Detail - Description	0	5			Not Used
0400	N9	Reference Identification	0	200			Must use
0500	G62	Date/Time	0	10			Used
0550	QTY	Quantity	0	10			Must use
* 0570	MEA	Measurements	0	5			Not Used
0600	AMT	Monetary Amount	0	1			Used
* 0700	R4	Port or Terminal	0	5			Not Used
0750	W27	Carrier Detail	0	1			Used

<u>Pos</u>	<u>ld</u>	Segment Name	Req	Max Use	Repeat	<u>Notes</u>	<u>Usage</u>
0800	N1	Name	0	5			Must use
* 0850	G72	Allowance or Charge	0	5			Not Used
LOOP ID	- 0311				<u>10</u>		
0900	LM	Code Source Information	0	1			Must use
1000	LQ	Industry Code	М	100			Must use
LOOP ID) - LS				1		
1050	LS	Loop Header	0	1			Used
LOOP ID	- 0312				<u>>1</u>	N2/1100L	
1100	LX	Assigned Number	0	1		N2/1100	Used
1200	N9	Reference Identification	0	>1			Used
1300	G62	Date/Time	0	10			Used
1400	N1	Name	0	1			Used
* LOOP	D - 0313				<u>10</u>		
* 1500	LM	Code Source Information	0	1			Not Used
* 1600	LQ	Industry Code	М	100		,	Not Used
1650	LE	Loop Trailer	М	1			Used
LOOP ID	- 0314				<u>>1</u>		
1700	FA1	Type of Financial Accounting Data	0	1			Used
1800	FA2	Accounting Data	М	>1			Must use

Summary:

<u>Pos</u>	<u>ld</u>	Segment Name	<u>Req</u>	Max Use	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
* 0100	W03	Total Shipment Information	0	1			Not Used
0200	SE	Transaction Set Trailer	М	1			Must use

Notes:

2/1100L The LX loop conveys serial number data.2/1100 The LX loop conveys serial number data.

ST Transaction Set Header

Pos: 0100 Max: 1

Heading - Mandatory

Loop: N/A Elements: 3

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

Semantics:

- 1. The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
- 2. The implementation convention reference (ST03) is used by the translation routines of the interchange partners to select the appropriate implementation convention to match the transaction set definition.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>
ST01	143	Transaction Set Identifier Code	M	ID	3/3	Must use
		Description: Code uniquely identifying a Transaction Set				
		Code Name945 Warehouse Shipping Advice				
ST02	329	Transaction Set Control Number	М	AN	4/9	Must use
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				
		DLMS Note: A unique number assigned by the originator of the transaction set, or the originator's application program.				
ST03	1705	Implementation Convention Reference	0	AN	1/35	Used
		Description: Reference assigned to identify Implementation Convention				
		DLMS Note: Use to indicate this transmission uses the DLMS IC 945A. Enter the DLMS IC (e.g.,004030F945A0AP00).				
		,				

W06 Warehouse Shipment Identification

Pos: 0200 Max: 1

Heading - Mandatory

Loop: N/A Elements: 5

User Option (Usage): Must use

Purpose: To provide identifying numbers, dates, and other basic data for this transaction set

Syntax Rules:

1. P0708 - If either W0607 or W0608 is present, then the other is required.

Semantics:

1. W0603 is the actual date on which shipment was made.

Κ

Element Summary:

Ref	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>
W0601	514	Reporting Code	М	ID	1/1	Must use
		Description: Code specifying the basis used when reporting shipment information				
		Code Name				
		J Original Transaction				

DLMS Note:

Simulation Exercise

Use to identify a simulated mobilization exercise transaction set. Activities initiating simulated mobilization exercises must ensure complete coordination with all activities involved. All transaction recipients must use extreme caution to ensure that individual transactions do not process as action documents which affect accountable records.

Z Mutually Defined

DLMS Note:

DLMS Note:

- 1. Use to identify the Unit of Use Indicator. When included, the quantity and unit of measure values associated with this transaction are applicable to the unit of use.
- 2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.
- 3. Authorized DLMS enhancement for DLA Disposition Services. Refer to ADC 449.
- 4. At this time a local code Z is established for use in 945A, version 4030. A data maintenance action will be submitted for establishment of Z-'Mutually Defined' in a future version.

W0602	285	Depositor Order Number	0	AN	1/22	Used
		Description: Identifying number for warehouse shipping order assigned by the depositor				
		DLMS Note: 1. Use code RR to indicate this is a replacement transaction to a previously submitted 945A. Refer to ADC 411.				
		2. DLMS enhancement; see introductory DLMS Note 2e.				
W0610	891	Shipping Date Change Reason Code	О	ID	2/2	Used
		Description: Code informing a depositor why shipment of an order was delayed				
		Code Name				
		13 Shipping Location Handling				

1. Required in conjunction with W0602 = RR to indicate the updated MRC corrects erroneous content data (e.g., transportation data, pRFID data). Refer to ADC 411.

Code Name

2. DLMS enhancement; see introductory DLMS Note 2e.

W0611 640 Transaction Type Code

ID 2/2

Must use

Description: Code specifying the type of

transaction

Code Name

AZ Disposal Shipment Advice

DLMS Note:

The shipping activity may use to provide confirmation of a disposal shipment to the DRMS. (This corresponds to the MILSTRIP Document Identifier Code (DIC) ASZ.)

0

An ANSI data maintenance action will be taken to properly align the code AZ with the correct name, "Disposal Shipment Confirmation," for use in a future version/release.

DS Disposition

DLMS Note:

Use to provide LRO advice under TAV procedures. Use with 2/N901/40 Code 87 to identify LRO for consumable or reparable material. (This corresponds to MILSTRIP DIC AE6 with Distribution Code 2 or 3.)

NJ Material Release Confirmation

DLMS Note:

- 1. Use to provide confirmation on a materiel release order. (This corresponds to MILSTRIP DIC ARA, ARB, ARO, AUA, AUB, or AUO.)
- 2. Use to identify Redistribution Order Shipment Confirmation. This transaction provides shipment details from an internal AF storage location or an AF base retail activity to the AF ICP (Equates to DIC BL0). Authorized DLMS migration enhancement in support of ECSS. Refer to ADC 405.
- NK Material Release Denial

DLMS Note:

- 1. Use to provide denial (warehouse refusal) information on a material release order. (This corresponds to MILSTRIP DIC A6_, except A6J)
- 2. Use to identify RDO Shipment Denial. This transaction provides shipment denial response from an internal AF storage location or an AF base retail activity to the AF ICP (Equates to DIC B7A). Authorized DLMS migration enhancement in support of ECSS. Refer to ADC 405.
- NL Material Release Advice

DLMS Note:

- 1. Use to provide supply status on a material release order. (This corresponds to MILSTRIP DIC AE6.)
- 2. For supply status on a materiel release order by a transportation system to a retail supply system regarding multi-packs or assemblages (e.g., medical), status will be done at the lead document number (for multi-packs) and Assemblage Identification Number, AIN, (for assemblies). For single line materiel release orders, the status will be at the document number level. DLMS enhancement; see introductory DLMS note 4e.
- NM Disposal Release Confirmation

DLMS Note:

Use to provide confirmation on a disposal release order. (This corresponds to MILSTRIP DIC ARJ, ARK, or ARL)

NO Notice

DLMS Note:

Use to identify a self-initiated supply status message provided by transportation to report cargo processing status (incheck or hold) prior to material release confirmation. This is not to be used for normal supply status messages in response to follow-up requests.

NP Disposal Release Denial

DLMS Note:

Use to provide denial (warehouse refusal) information on a disposal release order. (This corresponds to MILSTRIP DIC A6J)

NQ Disposal Release Advice

Code Name

DLMS Note:

1. Use to provide supply status to the ICP on a disposal release order (This corresponds to MILSTRIP DIC AEJ.)

An ANSI data maintenance action will be taken to properly align the code NQ with the correct name, "Disposal Shipment Advice," for use in a future version/release.

2. For supply status on a disposal release order by a transportation system to a retail supply system regarding multi-packs or assemblages (e.g., medical), status will be done at the lead document number (for multi-packs) and Assemblage Identification Number (for assemblies). For single line disposal release orders, the status will be at the document number level. DLMS enhancement; see introductory DLMS note 4e.

NR Material Release Cancellation Advice

DLMS Note:

- 1. Use to provide status taken on a request to cancel a materiel release order. (This corresponds to MILSTRIP DIC AG6).
- 2. For DLA Disposition Services, cancellation advice may be provided with no prior Materiel Release Cancellation (940R).
- NT Disposal Release Cancellation Advice

DLMS Note:

Use to provide status taken on a request to cancel a disposal release order. (This corresponds to MILSTRIP DIC AGJ)

W0612 306 Action Code

ID

1/2

Used

Description: Code indicating type of action

Code Name

A6 Modified

DLMS Note:

- 1. Only use when this message supports the Retail Transportation and Supply Receipt and Acknowledgement Interchange (See DLM 4000.25, Volume 3, Chapter 2).
- 2. Applies to solicited and unsolicited materiel release inquiry (AE6)/disposal shipment inquiry (AEJ) in support of supply status and cancellation responses, materiel release and disposal release confirmations, except for multi-pack and assemblage processing as defined for W0507=CN or ME.
- 3. Used in conjunction with a distribution code = 111.
- DLMS enhancement; see introductory DLMS note 4f.

CN Consolidated

DLMS Note:

- 1. Only use when this message supports the Retail Transportation and Supply Receipt and Acknowledgement Interchange (See DLM 4000.25, Volume 3, Chapter 2).
- 2. Use to advise that this message is a status response in support of multi-pack processing. The N9/0040 is authorized for use to identify the lead document number for the multi-pack. No looping of the W12 subloop (Loop ID 0310) is required for multi-pack contents; if the shipment is partialled, then the W12 loop shall be repeated to document each partial TCN.
- 3. Used in conjunction with a distribution code = 111.
- 4. Cancellation responses for multipacks shall be at the single line level.
- 5. DLMS enhancement; see introductory DLMS note 4f.

FI File

DLMS Note:

- 1. Use to identify an image transaction provided for information.
- 2. Authorized for Air Force and DSS use with PIC NWRM UIT, except when the distribution code = 111 and the message supports the Retail Transportation and Supply Receipt and Acknowledgement Interchange (See DLM 4000.25, Volume 3, Chapter 2). Use with W0611 Code NJ, NK, and Code NM

004030F945A0AP06 8 August 08, 2016

Code Name

to identify a materiel or disposal release confirmation and materiel release denial image transactions where the original transaction has bypassed the normal DAAS transaction flow. All transaction set recipients must use extreme caution to ensure that individual transactions with this code do not process as action documents which affect accountable records. Must use with 2/N101/0800 code KK and 2/N106/0800 code PK. There will be no 2/N106/0800 code TO for this transaction. Refer to ADC 347.

3. Authorized to be used in association with intra-Army transaction processing to identify an internal Materiel Release Advice image. Refer to ADC 1020.

ME Merge

DLMS Note:

- 1. Only use when this message supports the Retail Transportation and Supply Receipt and Acknowledgement Interchange (See DLM 4000.25, Volume 3, Chapter 2).
- 2. Use to advise that this message is a status response in support of assemblage (e.g., medical) processing. The N9/0040 is authorized for use to identify the Assemblage Identification Number for the assemblage. No looping of the W12 subloop (Loop ID 0310) is required for assemblage contents; if the shipment is partialled, then the W12 loop shall be repeated to document each partial TCN.
- 3. Used in conjunction with a distribution code = 111.
- 4. Cancellation responses for assemblages (e.g., medical) shall be at the AIN level.
- 5. DLMS enhancement; see introductory DLMS note 4f.

W1 Reconcile Historical Records

DLMS Note:

Use only with W0611 codes NJ, NK, NM, NP, NR, and NT to indicate the submission of historical information on previously reported transactions.

N1 Name

Pos: 0400 Max: 1
Heading - Mandatory
Loop: 0100 Elements: 4

User Option (Usage): Must use

Purpose: To identify a party by type of organization, name, and code

Syntax Rules:

- 1. R0203 At least one of N102 or N103 is required.
- 2. P0304 If either N103 or N104 is present, then the other is required.

Comments:

- This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

DLMS Note:

Must use this 1/N1/040 loop to identify the organization originating the transaction set.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>
N101	98	Entity Identifier Code	М	ID	2/3	Must use

Description: Code identifying an organizational entity, a physical location, property or an individual **DLMS Note:** For DLMS use, only the following codes are authorized.

Code Name

GP Gateway Provider

DLMS Note:

Future streamlined data needed for transition period to support transaction conversion in a mixed legacy MILSTRIP-DLMS environment. Use to identify DAAS as originator during conversion when the MILSTRIP transaction does not contain a "From" organization.

LG Location of Goods

DLMS Note:

Use for LRO advice to identify the alternative supply source originating the transaction set.

SB Storage Area

DLMS Note:

Use to identify the activity originating the transaction set.

WL Wholesaler

DLMS Note:

Use for lateral redistribution of non-Integrated Materiel Manager (IMM) or Primary Inventory Control Activity (PICA) owned materiel, to identify the materiel owner originating the transaction set under single stock fund concept.

N103 66 Identification Code Qualifier

Qualifier X ID 1/2 Must use

Description: Code designating the system/method of code structure used for Identification Code (67)

Code Name

1 D-U-N-S Number, Dun & Bradstreet

DLMS Note:

DLMS enhancement; see introductory DLMS note 4a.

9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix

DLMS Note:

67

N104

PDC 1198 ADC 48, 48C, 48D, 48E, 76, 77, 121, 161, 165, 169, 191, 197, 205A, 214, 221, 221A, 253, 284, 284A, 316, 316B, 316C, 316D, 344, 347, 373, 381, 381A, 396, 405, 411, 435, 436, 449, 466, 1009A, 1020, 1034B, 1040, 1043, 1043C, 1055, 1073, 1110, 1136, 1156, 1161, 1164 and 1207 DLM 4000.25

Code Name

DLMS enhancement; see introductory DLMS note 4a.

10 Department of Defense Activity Address Code (DODAAC)

DLMS Note:

DLMS enhancement; see introductory DLMS note 4a.

M4 Department of Defense Routing Identifier Code (RIC)

Identification Code X AN 2/80 Must use

Description: Code identifying a party or other code

N106 98 Entity Identifier Code O ID 2/3 Must use

Description: Code identifying an organizational entity, a physical location, property or an individual

Code Name

FR Message From

DLMS Note:

Must use to indicate the organization cited in N104 is originating the transaction set.

004030F945A0AP06 11 August 08, 2016

Administrative Communications PER **Contact**

Pos: 0800 Max: 5 **Heading - Optional**

Loop: 0100 Elements: 9

User Option (Usage): Used

Purpose: To identify a person or office to whom administrative communications should be directed

Syntax Rules:

- 1. P0304 If either PER03 or PER04 is present, then the other is required.
- 2. P0506 If either PER05 or PER06 is present, then the other is required.
- 3. P0708 If either PER07 or PER08 is present, then the other is required.

DLMS Note:

- 1. Only use when this transaction supports the Retail Supply and Transportation Receipt and Acknowledgement Interchange (See DLM 4000.25, Volume 3, Chapter 2).
- 2. Used in conjunction with a distribution code = 111.
- 3. May use up to two repetitions of the PER Segment to provide all applicable contact information. Repeat the PER01-PER02 in the second repetition to satisfy syntax requirements.
- 4. DLMS enhancement; see introductory DLMS note 4e.
- 5. See ADC 1055.

Е

Element Su	mmary:					
Ref	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>
PER01	366	Contact Function Code	M	ID	2/2	Must use
		Description: Code identifying the major duty or responsibility of the person or group named				
		Code Name SH Shipper Contact DLMS Note:				
		1. Use to identify the transportation in-chec	ker.			
		2. DLMS enhancement; see introductory Dl	MS note 4	е.		
		3. See ADC 1055.				
PER02	93	Name	0	AN	1/60	Used
		Description: Free-form name DLMS Note: 1. Identify transportation in-checker full name in First Name Middle Initial Last Name sequence, without any special characters (e.g., period, commas, and apostrophe). If there is no middle initial, insert NMN in place of the middle initial. 2. DLMS enhancement; see introductory DLMS note 4e. 3. See ADC 1055.				
PER03	365	Communication Number Qualifier Description: Code identifying the type of communication number DLMS Note: 1. Use to identify the preferred method of communication in the first repetition. If necessary use PER05/6 and PER07/8 to identify additional		ID	2/2	Used

			143, 1043C, 1055, 107	3, 1110, 1136		and 1207 DLM 4000.25
Ref	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>
		communication numbers. If necessary, use additional repetition of the PER segment to the email address and fax numbers (comm and DSN).	identify			
		Do not include blank spaces, dashes or parentheses between numbers.				
		3. DLMS enhancement; see introductory D. 4e.	LMS note			
		4. See ADC 1055.				
		4. See ADC 1000.				
		Code Name				
		EM Electronic Mail				
		DLMS Note:				
		Use in second repetition of the PE	R to identify the app	olicable ema	ail address.	
		TE Telephone				
		DLMS Note:				
		Use to identify the commercial tele	ephone. Include the	area code,	number and exte	nsion, if applicable.
PER04	364	Communication Number	X	AN	1/256	Used
		Description: Complete communications no including country or area code when applic				
PER05	365	Communication Number Qualifier	X	ID	2/2	Used
		Description: Code identifying the type of communication number				
		DLMS Note: 1. Use to identify an alternate				
		secondary, communication number that cal				
		used to contact the specified POC. If not u leave blank.	isea,			
		Do not include blank spaces, dashes, or parentheses between numbers.	r			
		3. DLMS enhancement; see introductory D.	LMS note			
		4e. 4. See ADC 1055.				
		4. See ADC 1055.				
		<u>Code</u> <u>Name</u>				
		AU Defense Switched Network				
		DLMS Note:				
		Use to identify the DSN telephone	number and extens	sion, if appli	cable.	
		FX Facsimile				
		DLMS Note:				
		Use in second repetition of the PE	R to identify the app	olicable con	nmercial FAX num	ber.
PER06	364	Communication Number	Х	AN	1/256	Used
		Description: Complete communications no including country or area code when applic				
PER07	365	Communication Number Qualifier	X	ID	2/2	Used
		Description: Code identifying the type of communication number				
		DLMS Note: 1. Use to identify an alternate secondary, communication number that call				
		used to contact the specified POC. If not u				
		blank.				
		2. Do not include blank spaces, dashes, or parentheses between numbers.	•			

<u>Ref</u>	<u>ld</u>	Element Name 3. DLMS enhancement; see introductory DLMS note 4e. 4. See ADC 1055. Code Name IT International Telephone DLMS Note:	Req	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
	Include country and city code. WF Work Facsimile Number					
		DLMS Note: Use in second repetition of the PER to ident	ify the app	licable DSN	I FAX number.	
PER08	364	Communication Number	Х	AN	1/256	Used
		Description: Complete communications number including country or area code when applicable				
PER09	443	Contact Inquiry Reference	0	AN	1/20	Used
		Description: Additional reference number or description to clarify a contact number				
		DLMS Note: 1. Identify the transportation in-checker identification code with the appropriate three position numeric value.				
		2. DLMS enhancement; see introductory DLMS note 4e.				
		3. See ADC 1055.				

G62 Date/Time

Pos: 1100 Max: 5 Heading - Optional

Loop: N/A Elements: 4

User Option (Usage): Must use

Purpose: To specify pertinent dates and times

Syntax Rules:

- 1. R0103 At least one of G6201 or G6203 is required.
- 2. P0102 If either G6201 or G6202 is present, then the other is required.
- 3. P0304 If either G6203 or G6204 is present, then the other is required.

DLMS Note:

Must use to identify the date and time of transaction set preparation.

Element Summary:

	anninai y .							
Ref	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>		
G6201	432	Date Qualifier	Χ	ID	2/2	Must use		
		Description: Code specifying type of date						
		Code Name						
		BB Transaction Control Date						
		DLMS Note:						
		Use to identify the date of transaction set p Coordinate (UTC).	reparation.	This date	corresponds to th	e Universal Time		
G6202	373	Date	Х	DT	8/8	Must use		
		Description: Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year						
G6203	176	Time Qualifier	X	ID	1/2	Must use		
		Description: Code specifying the reported time						
		Code Name						
		W Effective Time						
		DLMS Note:						
		1. Express the originating activity's time of	transaction	set prepara	ation in UTC.			
		2. Express time in a four-position (HHMM)	format.					
G6204	337	Time	Х	TM	4/8	Must use		
		Descriptions Time commenced in OA have also between						

Description: Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)

LX Assigned Number

Pos: 0050 Max: 1 Detail - Optional

Loop: 0300 Elements: 1

User Option (Usage): Used

Purpose: To reference a line number in a transaction set

DLMS Note:

This segment must be used only to meet X12 syntax requirements.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>
LX01	554	Assigned Number	M	N0	1/6	Must use

Description: Number assigned for differentiation

within a transaction set

DLMS Note: In the first and only iteration of this

2/LX/0050 loop, cite numeric 1.

W12 Warehouse Item Detail

Pos: 0200 Max: 1
Detail - Optional

Loop: 0310 Elements: 5

User Option (Usage): Must use

Purpose: To designate those line items that were shipped

Syntax Rules:

- 1. R0607 At least one of W1206 or W1207 is required.
- 2. P0708 If either W1207 or W1208 is present, then the other is required.
- 3. P101112 If either W1210, W1211 or W1212 are present, then the others are required.
- 4. P131415 If either W1213, W1214 or W1215 are present, then the others are required.
- 5. P1718 If either W1217 or W1218 is present, then the other is required.
- 6. P2122 If either W1221 or W1222 is present, then the other is required.

Semantics:

1. Whenever W1201 contains "IS", W1216, W1217, and W1218 refer to the original item ordered.

DLMS Note:

- 1. Must use the 2/W12/020 loop to identify the materiel and other data pertinent to the transaction.
- 2. If the transportation control number (TCN) is partialled (e.g., record position 16 is an alpha character other than X) by the shipper, then repeat the W12 loop to identify each related partial TCN (e.g., record positions 1-15 are identical).
- 3. DLMS enhancement; see introductory DLMS note 4e.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>
W1201	368	Shipment/Order Status Code	M	ID	2/2	Must use
		Description: Code indicating the status of an order or shipment or the disposition of any difference between the quantity ordered and the quantity shipped for a line item or transaction				

Code Name

SA Shipment Quantity Increase

DLMS Note:

Use with W0611 Code NJ (Materiel Release Confirmation) to indicate release of quantity greater than requested due to unit pack. Use with W0611 Code NM (Disposal Release Confirmation) to indicate release of quantity greater than requested. (This corresponds to MILSTRIP DIC ARA or ARK)

SC Shipment Quantity Decrease

DLMS Note:

Use with W0611 Code NJ (Materiel Release Confirmation) to indicate release of quantity less than requested due to unit pack. Use with W0611 Code NM (Disposal Release Confirmation) to indicate release quantity less than requested. (This corresponds to MILSTRIP DIC ARB or ARL)

UR Unsolicited Report

DLMS Note:

Use to indicate a response to a materiel or disposal release transaction. Do not use when code SA or SC applies.

W1207 235 Product/Service ID Qualifier X ID 2/2 Must use

Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)

DLMS Note: Use only one of codes A1, A2, A4, FB, FS, FT, MG, N4, SW, YP, ZR, or ZZ to identify the materiel. Must use National Stock Number (NSN) when known, except when appropriate brand name

004030F945A0AP06 17 August 08, 2016

Ref Id Element Name Req Type Min/Max Usage

subsistence items are identified by the Subsistence Identification Number or when maintenance/industrial activity material is identified by Local Stock Number or Material Control Tracking (MCT) tag number.

Code Name

A1 Plant Equipment Number

DLMS Note:

- 1. Use to identify plant equipment.
- 2. DLMS enhancement; see introductory DLMS note 4a.
- A2 Department of Defense Identification Code (DoDIC)

DLMS Note:

- 1. Use to identify ammunition items.
- 2. DLMS enhancement; see introductory DLMS note 4a.
- A4 Subsistence Identification Number

DLMS Note:

Use to identify subsistence items.

FB Form Number

DLMS Note:

- 1. Use to identify the form stock number.
- 2. DLMS enhancement; see introductory DLMS note 4a.
- FS National Stock Number
- FT Federal Supply Classification

DLMS Note:

Use to identify the FSC of the nonstandard materiel when a part number is not available and materiel can only be identified by description (e.g., non-NSN lumber products).

MG Manufacturer's Part Number

DLMS Note:

Use to identify nonstandard materiel.

N4 National Drug Code in 5-4-2 Format

DLMS Note:

DLMS enhancement in support of Retail Transportation and Supply Receipt and Acknowledgement Transactions.

SW Stock Number

DLMS Note:

- 1. Use to identify the local stock number (LSN).
- 2. When used for a unit of use LSN applicable to NSN materiel, the applicable NSN will be included for cross-reference.
- 3. When used for a unit of use LSN applicable to part numbered items, the original part-numbered item LSN will also be included for cross-reference.
- 4. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381/Approved Addendum 381A.
- 5. Authorized for intra-DLA use between DLA Disposition Services Field Offices and DLA Disposition Services. DLMS enhancement; Refer to ADC 449.
- YP Publication Number

DLMS Note:

- 1. Use to identify the publication stock number.
- 2. DLMS enhancement; see introductory DLMS note 4a.
- ZR Service Control Identification

004030F945A0AP06 18 August 08, 2016

Code Name

DLMS Note:

Use to identify Material Control Tracking (MCT) tag number. The MCT tag number is authorized for use with DLA industrial activity support agreement only. Refer to ADC 373.

ZZ Mutually Defined

DLMS Note:

- 1. Use to identify nonstandard materiel when all other authorized codes do not apply (includes management control numbers and locally assigned control numbers). May be used for legacy MILSTRIP-DLMS conversion when the translator cannot determine a more appropriate code.
- 2. Use when the W0612 = CN or ME and the LQ02 = 1 for (LQ01 = AK) to denote the consolidation as "MIXED" in the W1208.
- 3. DLMS enhancement; see introductory DLMS note 4e.

W1208 234 **Product/Service ID** Χ AN 1/48 Must use Description: Identifying number for a product or service 235 **Product/Service ID Qualifier** Χ ID 2/2 W1217 Used

Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)

Code Name

CN Commodity Name

DLMS Note:

Use with W1207 Code FT to identify the materiel name or description.

FS National Stock Number

DLMS Note:

- 1. Use to identify the NSN.
- 2. The NSN is provided as a cross-reference when unit of use indicator is included and the Local Stock Number (LSN) is identified as the primary material identification.
- 3. Authorized DLMS enhancement under DLA industrial activity support agreement; refer to ADC 381.
- 4. Authorized for intra-DLA use between DLA Disposition Services Field Offices and DLA Disposition Services. DLMS enhancement; Refer to ADC 449.
- SW Stock Number

DLMS Note:

- 1. Use to identify the local stock number (LSN).
- 2. The LSN is provided as a cross-reference when unit of use indicator is included and the unit of use LSN is identified as the primary material identification. Authorized DLMS enhancement under DLA industrial activity support agreement.
- ZB Commercial and Government Entity (CAGE) Code

DLMS Note:

Use with W1207 Code MG to uniquely identify the manufacturer's part number.

W1218 234 Product/Service ID X AN 1/48 Used

Description: Identifying number for a product or

service

N9 Reference Identification

Pos: 0400 Max: 200 Detail - Optional

Loop: 0310 Elements: 4

User Option (Usage): Must use

Purpose: To transmit identifying information as specified by the Reference Identification Qualifier

Syntax Rules:

- 1. R0203 At least one of N902 or N903 is required.
- 2. C0605 If N906 is present, then N905 is required.

Semantics:

- 1. N906 reflects the time zone which the time reflects.
- 2. N907 contains data relating to the value cited in N902.

DLMS Note:

- 1. Must use at least once to identify the transaction number.
- 2. Use additional repetitions to identify ancillary information related to the transaction.
- 3 For the materiel release confirmation and disposal release confirmation, must have one repetition to identify the shipment transportation control number.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>
N901	128	Reference Identification Qualifier	M	ID	2/3	Must use

Description: Code qualifying the Reference

Identification

DLMS Note: 1. Use one of CT or W3, but not both, in Government Furnished Materiel (GFM) related transactions.

2. For DLMS use, only the following codes are authorized.

Code Name

2I Tracking Number

DLMS Note:

Use to identify all shipments to a DLA Disposition Services Field Office that qualify for intransit control procedures, e.g., the shipped materiel line item value is \$800 or more or the item is recorded as pilferable/sensitive. Cite Y in N902 if shipment meets specified criteria.

4C Shipment Destination Code

DLMS Note:

- 1. Shipment Destination Code with note: "Use in Commercial Asset Visibility Materiel Release Confirmation transactions to provide a clear text carrier name and address. Use N902 to identify the carrier name. Use N903 to provide a street address, PO box or other address information. Use N907 to provide additional address information. Where possible, attempt to cite the address in the form of a US Postal Service (USPS) mailing address. For shipments outside of the US, use 2/LQ01/1000 code 85 to identify the country."
- 2. This is a non-standard mapping. The standard DLMS mapping for carrier identification is carried in the N1 segment at position 0800.

5M Previous Sequence

DLMS Note:

- 1. Use to identify the Post-Post Previously Requested Indicator to notify the owner's application whether the requested action was initiated/recorded in the owner's application. Cite the appropriate value:
- Y Indicates request for materiel was created in the owner's application N Indicates request for materiel was not created in owner's application

Code Name

2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 396.

60 Account Suffix Code

DLMS Note:

Use in conjunction with the DTID Number (N907 Code W1) to identify the DTID Suffix Code, when applicable. DLMS enhancement, see ADC 466.

74 Work Breakdown Structure (WBS)

DLMS Note:

Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 396.

77 Work Package

DLMS Note:

Use to identify the Build Directive Number for medical/surgical component assembly. (A data maintenance action was approved in version 5010. The approved code/name is BDN – Build Directive Number.) Authorized DLMS migration enhancement. See DLMS introductory note 4e.

86 Operation Number

DLMS Note:

- 1. Use to identify the Key Operation (KO) Number associated with the JO.
- 2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.
- 87 Functional Category

DLMS Note:

Use in LRO to distinguish between LROs for consumable (MILSTRIP Distribution Code 2) and reparable (MILSTRIP Distribution Code 3) assets. Enter value (2 or 3) in N902.

9R Job Order Number

DLMS Note:

- 1. Use to identify Job Order (JO) Number.
- 2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.
- AH Agreement Number

DLMS Note:

Use to identify the Depot Maintenance Inter-Service Support Agreement (DMISA) number for tracking "in-process" materiel.

CO Customer Order Number

DLMS Note:

- 1. Use to identify the Customer Order Acceptance Record (COAR) applicable to the Job Order Number.
- 2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381 (or as applicable).
- CT Contract Number

DLMS Note:

Use to identify the procurement instrument identifier (PIID) on shipments of GFM to the contractor. When GFM is authorized under a PIID call/order number (F in 9th position), provide the value in the PIID field.

QJ Return Material Authorization Number

DLMS Note:

- 1. Used to identify the carrier account number applicable to the identified carrier (2/N101/0800 Code CA) for the directed materiel release. (Field length = 10 positions). Refer to ADC 1164.
- 2. Authorized DLMS enhancement; see DLMS introductory note 4e.
- TG Transportation Control Number (TCN)
- TN Transaction Reference Number

DLMS Note:

Must use to identify the transaction number assigned to this transaction. This is the document number.

TT Terminal Code

Code Name

DLMS Note:

Use only during legacy MILSTRIP-DLMS conversion processing to identify the point of embarkation for OCONUS shipments moving through the DTS, GBL/CBL, parcel post (except APO/FPO); and small package carrier shipments entering the DTS at the POE. During the transition period, transactions originating as MILSTRIP DIC Code AR, Materiel Release Confirmation, will carry the POE in this field due to the translator's inability to distinguish among code types. Refer to 2/LQ01/1000 qualifiers 36, Air Terminal Identifier Code, 37, Water Terminal Identifier, and 38, Consolidation and Containerization Point Code, for DLMS input.

W1 Disposal Turn-In Document Number

DLMS Note:

Use for disposal release confirmation and historical disposal release confirmation transactions to identify the DTID.

W3 Manufacturing Directive Number

DLMS Note:

Use on shipments of GFM to the contractor.

WF Locally Assigned Control Number

DLMS Note:

Use to identify the Assemblage Identification Number (AIN). Authorized DLMS migration enhancement. See DLMS introductory note 4e.

WO Work Order Number

DLMS Note:

- 1. Use to identify a maintenance work order number.
- 2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.
- WP Warehouse Pick Ticket Number

DLMS Note:

- 1. Use to identify the picklist control number assigned to identify a specific job for which materiels are being assembled together in support of planned maintenance.
- 2. Cite the picklist control number in N903 due to field length.
- 3. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.
- X9 Internal Control Number

DLMS Note:

Use in CAV transactions to identify the unique contractor reference number assigned by the contractor.

AAE Previous Distributor Number

DLMS Note:

Use to provide the warehouse storage location identifying the physical location of the materiel as it was reflected on the DSS record prior to requested action, i.e., pick location.

EVI Event Identification

DLMS Note:

- 1. Use for DLA Disposition Services Field Office materiel release advice for FMS requisitioned materiel with associated freeze action pending approval. This code is perpetuated from the MRO/RDO. The only applicable value for this transaction is Code F=Freeze action. Refer to ADC 1156.
- 2. Qualifier EVI is a migration code approved for use in X12 version 4030.
- PWC Preliminary Work Candidate Number

DLMS Note:

- 1. Use to identify a Requisition Alert Document Number.
- 2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

N902 127 Reference Identification X AN 1/50 Must use

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Ref	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>
N903	369	Free-form Description Description: Free-form descriptive text DLMS Note: When 2/N901/0400 cites code 4C, use to provide a street address, PO Box or other address information.	X	AN	1/45	Used
N907	C040	Reference Identifier Description: To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier DLMS Note: When N901 code 4C is used to indicate a carrier address, use N907 to further define the address. Use as many of codes LJ, GE, and GL, in N907[C04001-6] as necessary. Syntax: 1. P0304 - If either C04003 or C04004 is present, then the other is required. 2. P0506 - If either C04005 or C04006 is present, then the other is required.	0	Comp		Used
N907-01	128	Reference Identification Qualifier	М	ID	2/3	Must use

Description: Code qualifying the Reference Identification

DLMS Note: Use only one of codes 08, 16, 97, 1Y, AW, BL, BM, IZ, K2, K3, WY or ZH for materiel release confirmation, historical materiel release confirmation, disposal release confirmation, and historical disposal release confirmation transactions with N901 Code TG to identify the shipment unit number. Code supplements the cross reference between the TCN used for intransit control procedures and the applicable shipment identification number associated with the mode of shipment.

Code Name

08 Carrier Assigned Package Identification Number

DLMS Note:

- 1. Use to identify carrier package identification number when carrier is other than the United States Postal Service. Use recommended in conjunction with identification of the carrier (2/N101/0800 qualifier CA).
- 2. Authorized DLMS migration enhancement; see introductory DLMS 4f.
- 16 Military Interdepartmental Purchase Request (MIPR) Number

DLMS Note:

Use to identify the MIPR number for tracking "in-process" material.

1Y Repair Action Number

DLMS Note:

Use with N901 Code AH to identify the Depot Maintenance Inter-Service Support Agreement (DMISA) line number for tracking "in-process" materiel.

AW Air Waybill Number

DLMS Note:

- 1. Use to identify the shipment unit air waybill number.
- 2. Authorized DLMS migration enhancement; see introductory DLMS 4f.
- BL Government Bill of Lading

DLMS Note:

1. Use to identify the government bill of lading.

Code Name

2. Authorized DLMS migration enhancement; see introductory DLMS 4f.

BM Bill of Lading Number

DLMS Note:

- 1. Use to identify the shipment unit commercial bill of lading number.
- 2. Authorized DLMS migration enhancement; see introductory DLMS 4f.
- IZ Insured Parcel Post Number

DLMS Note:

- 1. Use to identify the shipment unit insured parcel post number.
- 2. Authorized DLMS migration enhancement; see introductory DLMS 4f.
- K1 Foreign Military Sales Notice Number

DLMS Note:

Use with N901 code TG for Foreign Military Sales (FMS) shipments made on a commercial bill of lading or commercial collect bill of lading to identify the shipment unit FMS notice number.

K2 Certified Mail Number

DLMS Note:

- 1. Use to identify the shipment unit certified mail number.
- 2. Authorized DLMS migration enhancement; see introductory DLMS 4f.
- K3 Registered Mail Number

DLMS Note:

- 1. Use to identify the shipment unit registered parcel post number.
- 2. Authorized DLMS migration enhancement; see introductory DLMS 4f.
- LJ Local Jurisdiction

DLMS Note:

Use with N901 code 4C to provide the city, county or other local designator for the carrier address.

W1 Disposal Turn-In Document Number

DLMS Note:

- 1. Use to identify the disposal turn-in document (DTID) number when provided as a secondary reference number. The DTID Number is a unique number to identify property turned into a DLA Disposition Service Field Office.
- 2. Use in conjunction with the controlling document number for the transaction cited N901 code TN. When there is no Suffix Code associated with the controlling Document Number, enter the correlating DTID in the N907-02. If there is a Suffix Code, enter the DTID in the N907-04. Refer to ADC 466.
- 3. Authorized for intra-DLA use between DLA Disposition Services Field Offices and DLA Disposition Services. DLMS enhancement; Refer to ADC 449.
- W8 Suffix

DLMS Note:

- 1. Use with N901 Code TN to identify the transaction number suffix.
- 2. When used in association with the Requisition Alert Document Number (Qualifier PWC, above), this will be the requisition alert document suffix. The Requisition Alert Document Number Suffix is an Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.
- WY Waybill Number

DLMS Note:

- 1. Use to identify the shipment unit surface waybill number.
- 2. Authorized DLMS migration enhancement; see introductory DLMS 4f.
- ZH Carrier Assigned Reference Number

DLMS Note:

1. Use to identify the shipment unit express mail number.

Code Name

2 Authorized DLMS	migration enhancement: see	introductory DLMS 4f

N907-02 127 Reference Identification M AN 1/50 Must use

Description: Reference information as defined for a particular Transaction Set or as specified by the

Reference Identification Qualifier

N907-03 128 Reference Identification Qualifier X ID 2/3 Used

Description: Code qualifying the Reference

Identification

Code Name

GE Geographic Number

DLMS Note:

Use with N901 code 4C to indicate the USPS abbreviation for the state or Canadian province the carrier is located in.

W1 Disposal Turn-In Document Number

DLMS Note:

- 1. Use to identify the disposal turn-in document (DTID) number when provided as a secondary reference number. The DTID Number is a unique number to identify property turned into a DLA Disposition Service Field Office.
- 2. Use in conjunction with the controlling document number for the transaction (N901 Code TN). When there is no Suffix Code associated with the controlling Document Number, enter the correlating DTID number in the N907-02. If there is a Suffix Code, enter the DTID in the N907-04. Refer to ADC 466.
- 3. Authorized for intra-DLA use between DLA Disposition Services Field Offices and DLA Disposition Services. DLMS enhancement.

N907-04 127 Reference Identification X AN 1/50 Used

Description: Reference information as defined for a particular Transaction Set or as specified by the

Reference Identification Qualifier

N907-05 128 Reference Identification Qualifier X ID 2/3 Used

Description: Code qualifying the Reference

Identification

Code Name

GL Geographic Destination Zone Number

DI MS Note:

Use with N901 code 4C to indicate the USPS zip code for the carrier address. Use the 9 digit zip code when available.

N907-06 127 Reference Identification X AN 1/50 Used

Description: Reference information as defined for a particular Transaction Set or as specified by the

Reference Identification Qualifier

G62 Date/Time

Pos: 0500 Max: 10
Detail - Optional

Loop: 0310 Elements: 2

User Option (Usage): Used

Purpose: To specify pertinent dates and times

Syntax Rules:

- 1. R0103 At least one of G6201 or G6203 is required.
- 2. P0102 If either G6201 or G6202 is present, then the other is required.
- 3. P0304 If either G6203 or G6204 is present, then the other is required.

DLMS Note:

Use to identify dates as appropriate.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>
G6201	432	Date Qualifier	X	ID	2/2	Must use

Description: Code specifying type of date

DLMS Note: For DLMS use, only the following codes are authorized.

Code Name

09 Process Date

DLMS Note:

Use with the transaction history to identify the date on which the materiel release advice was processed by the initiating activity.

11 Shipped on This Date

DLMS Note:

Use in materiel release confirmation, historical materiel release confirmation, disposal release confirmation, and historical disposal release confirmation transactions to identify date materiel was shipped.

17 Estimated Delivery Date

DLMS Note:

Use in materiel release advice (DIC AE6), materiel release confirmation, disposal shipment confirmation (DIC AEJ), historical materiel release confirmation, disposal release confirmation, and historical disposal release confirmation transactions to identify the estimated shipping date or estimated date materiel will be available for shipment when shipment has not occurred.

BD Required By

DLMS Note:

- 1. Use in materiel release denials to identify the required delivery date from the original materiel release order.
- 2. Future streamlined data; see introductory DLMS note 4c.
- BH Offered for Delivery

DLMS Note:

Use in materiel release advice and disposal release advice transactions to identify the date materiel is tendered to the carrier for shipment.

BU Rejection

DLMS Note:

- 1. Use in materiel release denial, historical materiel release denial, disposal release denial, and historical disposal release denial transactions to identify the date of warehouse refusal.
- 2. DLMS enhancement; see introductory DLMS note 4a.

TR Transfer

DLMS Note:

DLMS Implementation Convention (IC) 945A Materiel Release Advice

PDC 1198 ADC 48, 48C, 48D, 48E, 76, 77, 121, 161, 165, 169, 191, 197, 205A, 214, 221, 221A, 253, 284, 284A, 316, 316B, 316C, 316D, 344, 347, 373, 381, 381A, 396, 405, 411, 435, 436, 449, 466, 1009A, 1020, 1034B, 1040, 1043, 1043C, 1055, 1073, 1110, 1136, 1156, 1161, 1164 and 1207 DLM 4000.25

Code Name

Use in materiel release advice and disposal release advice transactions to identify the date materiel is transferred to the carrier if a delay occurs prior to actual shipment.

G6202 373 **Date** Χ DT 8/8 Must use

> Description: Date expressed as CCYYMMDD where CC represents the first two digits of the

calendar year

QTY Quantity

Pos: 0550 Max: 10

Detail - Optional

Loop: 0310 Elements: 3

User Option (Usage): Must use

Purpose: To specify quantity information

Syntax Rules:

- 1. R0204 At least one of QTY02 or QTY04 is required.
- 2. E0204 Only one of QTY02 or QTY04 may be present.

Semantics:

1. QTY04 is used when the quantity is non-numeric.

DLMS Note:

Must use at least one iteration of this 2/QTY/055 loop to identify quantities associated with the transaction.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>
QTY01	673	Quantity Qualifier	M	ID	2/2	Must use

Description: Code specifying the type of quantity

Code Name

01 Discrete Quantity

DLMS Note:

Use in initial materiel release confirmation, materiel release advice and disposal release advice transactions to identify the quantity for which status is being provided. (This equates to the quantity carried in MILSTRIP DIC AR_ or AE6, AEJ, AGJ, or ASZ.)

03 Discreet Quantity - Rejected Material

DLMS Note:

Use in materiel release cancellation advice, historical materiel release cancellation advice, disposal release cancellation advice, and historical disposal release cancellation advice transactions to identify the quantity which was cancelled. (This equates to the quantity carried in MILSTRIP DIC AG6)

39 Shipped Quantity

DLMS Note:

Use in reply to materiel release cancellation request, historical reply to materiel release cancellation request, reply to disposal release cancellation request, and historical reply to disposal release confirmation request transactions to identify the quantity which is confirmed/shipped. (This equates to the quantity carried in MILSTRIP DIC AU_.)

QC Quantity Disapproved

DLMS Note:

Use in materiel release denial, historical materiel release denial, disposal release denial, and historical disposal release denial transactions to identify the quantity of the warehouse refusal. (This equates to the quantity carried in MILSTRIP DIC A6.) (Also applicable to intra-AF RDO denial.)

V1 Retention Quantity

DLMS Note:

Use in disposal release confirmation denial, and historical disposal release confirmation transactions to identify the quantity actually retained. (Applicable to MILSTRIP DIC ARJ, AEJ, AGJ, A6J, ARL, or ARK)

QTY02 380 Quantity X R 1/15 Must use

Description: Numeric value of quantity

DLMS Note: A field size exceeding 5 positions (7 positions for FSG 13, ammunition) may not be received or understood by the recipient's automated processing system. See introductory DLMS note 4d.

Ref	<u>ld</u>	Element Name Req Type Min/Max		Min/Max	<u>Usage</u>	
QTY03	C001	Composite Unit of Measure	0	Comp		Must use
		Description: To identify a composite unit of measure(See Figures Appendix for examples of use) Comments: 1. If C001-02 is not used, its value is to be interpreted as 1. 2. If C001-03 is not used, its value is to be interpreted as 1. 3. If C001-05 is not used, its value is to be interpreted as 1. 4. If C001-06 is not used, its value is to be interpreted as 1. 5. If C001-08 is not used, its value is to be		Gomp		Widst doc
		interpreted as 1. 6. If C001-09 is not used, its value is to be interpreted as 1.				
		7. If C001-11 is not used, its value is to be interpreted as 1.				
		8. If C001-12 is not used, its value is to be interpreted as 1.				
		9. If C001-14 is not used, its value is to be interpreted as 1.				
		10. If C001-15 is not used, its value is to be interpreted as 1.				
QTY03-01	355	Unit or Basis for Measurement Code	М	ID	2/2	Must use
		Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken				
		DLMS Note: Use to identify the unit of issue for the materiel shipped.				
		Use for materiel release confirmation, historical materiel release confirmation, disposal release confirmation, and historical disposal release confirmation transactions to identify the unit of issue for the materiel shipped. DLMS users see the Unit of Issue and Purchase Unit Conversion Table for available codes.				
		All valid standard codes are used.				
QTY03-02	1018	Exponent	0	R	1/15	Used
		Description: Power to which a unit is raised				

AMT Monetary Amount

Pos: 0600 Max: 1

Detail - Optional Loop: 0310 Elements: 2

User Option (Usage): Used

Purpose: To indicate the total monetary amount

DLMS Note:

Use in Commercial Asset Visibility (CAV) Supply Status transactions to provide the unit price of the item.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>
AMT01	522	Amount Qualifier Code	M	ID	1/3	Must use

Description: Code to qualify amount

Code Name

NT Unit Value

DLMS Note:

- 1. Use in CAV Materiel Release Confirmation transactions to indicate the unit price of an item.
- 2. Use to identify the unit price applicable to the materiel identified by the release confirmation supporting NSYs and FRC under DLA industrial activity support agreement. Authorized DLMS enhancement; Refer to ADC 381.
- 3. DLMS transactions authorize an expanded unit price field size of 9 digits for dollars and 2 digits for cents. The decimal point is passed in the transaction. If conversion to MILS legacy format is required, unit prices exceeding the legacy field size constraint will not be perpetuated. Authorized DLMS migration enhancement. Refer to ADC 221A.

AMT02 782 **Monetary Amount** M R 1/18 Must use

Description: Monetary amount

W27 Carrier Detail

Pos: 0750 Max: 1 Detail - Optional

Elements: 3

Loop: 0310

User Option (Usage): Used

Purpose: To specify details of the transportation equipment and carrier routing details

Syntax Rules:

1. R0203 - At least one of W2702 or W2703 is required.

Semantics:

- 1. W2702 is required when W2701 equals "B", "E", "H", "I", "K", "L", "M", "P" or "T".
- 2. W2706 is required when W2701 equals "G" or "R".

Comments:

1. Shipment/Order Status Code is used at the total-invoice level only when differences cannot be provided at the line-item level or when the entire order has been shipped complete.

DLMS Note:

Use to identify the mode of shipment.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	
W2701	91	Transportation Method/Type Code	M	ID	1/2	Must use	
		Description: Code specifying the method or type of transportation for the shipment					
		DLMS Note: Use as needed for materiel release confirmation, historical materiel release confirmation, disposal release confirmation, and historical disposal release confirmation transactions only to identify the mode of shipment. DLMS users see the Transportation Mode of Shipment Conversion Table for available codes.					
		All valid standard codes are used.					
W2702	140	Standard Carrier Alpha Code	Х	ID	2/4	Must use	
		Description: Standard Carrier Alpha Code					
		DLMS Note: If SCAC is unknown, use code ZZ for this data element to meet mandatory X12 syntax requirements.					
W2706	206	Equipment Initial	0	AN	1/4	Used	
		Description: Prefix or alphabetic part of an equipment unit's identifying number					
		DLMS Note: 1. Use Code Z in this data element to meet mandatory X12 semantic note requirement when W2701 = G or R.					
		2. See ADC 1073.					

N1 Name

Pos: 0800 Max: 5

Detail - Optional

Loop: 0310 Elements: 5

User Option (Usage): Must use

Purpose: To identify a party by type of organization, name, and code

Syntax Rules:

- 1. R0203 At least one of N102 or N103 is required.
- 2. P0304 If either N103 or N104 is present, then the other is required.

Comments:

- 1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

DLMS Note:

Must use at least one iteration of this N1 segment to identify the organization to receive the transaction (N106 code TO with appropriate N101 code). May use additional iterations to identify other organizations associated with the transaction.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>
N101	98	Entity Identifier Code	М	ID	2/3	Must use

Description: Code identifying an organizational entity, a physical location, property or an individual **DLMS Note:** For DLMS use, only the following

codes are authorized.

Code Name

CA Carrier

DLMS Note:

- 1. Use for materiel release confirmations, historical materiel release confirmations, disposal release confirmations, and historical disposal release confirmations to identify the shipment unit carrier when other than the United States Postal Service.
- 2. The carrier is identified by Standard Carrier Alpha Code (SCAC) using Code CA in N103. The carrier name is identified in N102.
- 3. Perpetuate from the materiel release order to confirm use of the carrier designated for directed return. Refer to ADC 1164.
- 4. Authorized DLMS migration enhancement; see introductory DLMS 4e.

CN Consignee

DLMS Note:

Use for materiel release cancellation advice and historical materiel release cancellation advice transactions to identify the consignee.

DA Delivery Address

DLMS Note:

Use with N102 to identify the in-the-clear exception ship-to address organization name.

DZ Delivery Zone

DLMS Note:

- 1. Use to provide the delivery location indicating where the materiel has been staged/stored.
- 2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 396.

KK Registering Party

DLMS Note:

1. Use to identify the Component UIT registry. May be used by a Component when their UIT process

Code Name

requires that a copy of the transaction should also be sent to a UIT registry for information purposes. Must be used with 2/N106/0800 code PK-Party to Receive Copy' to identify that this is only an information copy of the transaction, for use with the Component UIT registry. Cite the applicable Routing Identifier in 2/N104.

- 2. Authorized DLMS enhancement for Air Force and DSS use with PIC NWRM UIT program. For PIC UIT, must use in conjunction with 2/N106 code PK and 1/W0612/0200 Action Code FI and cite the applicable Routing Identifier in 2/N104.
- 3. Authorized DLMS enhancement for Air Force use under the Retail Transportation and Supply Receipt and Acknowledgement Interchange (Distribution Code of 111). For PIC UIT, must use in conjunction with 2/N106 code PK and cite the applicable Routing Identifier in 2/N104.
- 4. Except as noted above, DLMS enhancement; see introductory DLMS note 4a.
- LG Location of Goods

DLMS Note:

Use for LRO advice to identify the alternative supply source when different from the originator of the transaction.

ST Ship To

DLMS Note:

Use for materiel release confirmations, historical materiel release confirmations, disposal release confirmations, and historical disposal release confirmations to identify the organization to receive the materiel.

UQ Subsequent Owner

DLMS Note:

Use for inter-Service ammunition or ammunition-related ownership transfer with no physical movement of materiel. Use to identify the RIC to which ownership is being transferred (the New Owner RIC). DLMS enhancement. Refer to ADC 1020.

XN Planning/Maintenance Organization

DLMS Note:

- 1. Use between the source of supply and the Distribution Depot warehouse storage system to identify the Shop Service Center (SSC) or Shop Store.
- 2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 284A & 381.
- Z1 Party to Receive Status

DLMS Note:

- 1. Use to indicate the organization to receive shipment status as identified on the original requisition. Use multiple iterations to identify all status recipients, as required.
- 2. The DLMS provides the capability to carry additional status recipients beyond those identified by the legacy MILSTRIP. The Media and Status Code and the Distribution Code will be retained in the DLMS to facilitate transaction conversion in a mixed legacy MILSTRIP-DLMS environment. Additional status recipients identified here cannot be passed to legacy MILSTRIP users.
- Z4 Owning Inventory Control Point

DLMS Note:

Must use to identify the ICP to receive the transaction set.

Z7 Mark-for Party

DLMS Note:

Use for materiel release confirmations and historical materiel release confirmations to identify an entity located within the ship-to address that is to actually receive the materiel. The Mark-for Party may be identified by DoDAAC, RIC, clear text, or a combination of these. Only one of DoDAAC or RIC may be used. Authorized DLMS enhancement; see introductory DLMS note 4e. Refer to ADC 1009A.

N102 93 **Name** X AN 1/60 Used

Description: Free-form name

DLMS Note: 1. Use to identify the carrier name (used with Qualifier CA, above). Field length for DLMS is 60 positions.

			1034B, 1040, 1043, 1043C,	1055, 1073	3, 1110, 1136	5, 1156, 1161, 1164	and 1207 DLM 4000.25			
Ref	<u>ld</u>	Elem	ent Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>			
			se to identify the delivery location (used with ifier DZ, above). Field length is 30 positions mum.							
		3. Use with N101 Code Z7 to identify the recipient o materiel. Total field length is restricted to 24 characters. If combined with a Mark-for DoDAAC, restrict clear text to 17 characters. If combined with a Mark-for RIC, restrict clear text to 20 characters. Authorized DLMS enhancement; see introductory								
			S note 4e. Refer to ADC 1009A.							
N103	66	Ident	ification Code Qualifier	Х	ID	1/2	Must use			
			ription: Code designating the system/method de structure used for Identification Code (67)							
		Code	<u>Name</u>							
		1	D-U-N-S Number, Dun & Bradstreet							
			DLMS Note:							
			DLMS enhancement; see introductory DLMS	note 4a.						
		2	Standard Carrier Alpha Code (SCAC)							
			DLMS Note:							
			1. Use with N101 Code CA to identify the co. N104.	mmercial (carrier by c	ode. Identify the	value of the SCAC in			
			2. Authorized DLMS migration enhancement	t; see intro	ductory DL	MS 4e.				
		9	D-U-N-S+4, D-U-N-S Number with Four Chara	acter Suffix	K					
			DLMS Note:							
			DLMS enhancement; see introductory DLMS	note 4a.						
		10	Department of Defense Activity Address Code	(DODAA	C)					
			DLMS Note:							
			DLMS enhancement; see introductory DLMS note 4a.							
		92	Assigned by Buyer or Buyer's Agent							
			DLMS Note:							
		M4 UR	Use with N101 Code XN to identify the Shop Service Center or Shop Store. Refer to ADC 284A & 381.							
			Department of Defense Routing Identifier Cod Uniform Resource Locator (URL)	le (RIC)						
			DLMS Note:							
			 Use when appropriate to identify the Com DLMS enhancement; see introductory DL 							
				ivio rioto -						
N104	67		cification Code cription: Code identifying a party or other code	Х	AN	2/80	Must use			
NAGE	00			0	ID	0/0	Llood			
N106	98		y Identifier Code	0	ID	2/3	Used			
			ription: Code identifying an organizational , a physical location, property or an individual							
		Code	<u>Name</u>							
		PK	Party to Receive Copy							
			DLMS Note:							
			Use when appropriate to send an information code KK.	tion copy t	o a Compo	nent UIT registry.	For use with N101			
			2. Authorized DLMS enhancement for Air Fo UIT, must use in conjunction with 2/N101 co applicable RIC in 2/N104				. •			

applicable RIC in 2/N104.

Code Name

- 3. Authorized DLMS enhancement for Air Force use under the Retail Transportation and Supply Receipt and Acknowledgement Interchange (Distribution Code of 111). For PIC UIT, must use in conjunction with 2/N101 code KK and cite the applicable RIC in 2/N104.
- 4. Except as noted above, DLMS enhancement; see introductory DLMS note 4a.

TO Message To

DLMS Note:

Use with the appropriate 2/N101/0800 to indicate that the organization cited in N104 is receiving the transaction set.

LM Code Source Information

Pos: 0900 Max: 1
Detail - Optional

Loop: 0311 Elements: 1

User Option (Usage): Must use

Purpose: To transmit standard code list identification information

Comments:

1. LM02 identifies the applicable industry code list source information.

DLMS Note:

Must use this 2/LM/090 loop to identify coded information maintained in department or agency documentation.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>
LM01	559	Agency Qualifier Code	М	ID	2/2	Must use

Description: Code identifying the agency assigning

the code values

Code Name

DF Department of Defense (DoD)

LQ Industry Code

Pos: 1000 Max: 100 Detail - Mandatory

Loop: 0311 Elements: 2

User Option (Usage): Must use

Purpose: Code to transmit standard industry codes

Syntax Rules:

1. C0102 - If LQ01 is present, then LQ02 is required.

DLMS Note:

Use to identify codes, as appropriate, consistent with management information requirements.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>
LQ01	1270	Code List Qualifier Code	0	ID	1/3	Must use

Description: Code identifying a specific industry

code list

DLMS Note: For DLMS use, only the following

codes are authorized.

Code Name

0 Document Identification Code

DLMS Note:

- 1. The MILSTRIP DIC is retained in the DLMS to facilitate transaction conversion in a mixed legacy MILSTRIP-DLMS environment. Continued support of the DIC in a full DLMS environment will be assessed at a future date.
- 2. In a mixed legacy MILSTRIP-DLMS environment, for the inter-service ammunition interfaces, when including BG1/BG2 data, Army must use 2 iterations of LQ to provide DIC AR_ as well as either DIC BG1 or BG2 as applicable, to alert DAAS of the BG1/BG2 requirement for inter-service ammunition transactions. See ADC 1040.
- Z Cancellation Reason

DLMS Note:

- 1. Use to specify the reason for requisition cancellation subsequent to receipt of the associated release order.
- 2. For DLA Disposition Service, available codes are:
- YD DLA Disposition Services Customer No-Show
- YE DLA Disposition Services Sales Customer Refused Penalty May Apply
- YF DLA Disposition Services Sales Customer Refused No Penalty
- YG DLA Disposition Services Sales Reutilization/Transfer/Donation (RTD) Customer Declined with Prior Notice
- YH DLA Disposition Services RTD Customer Refused Without Prior Notice
- YI DLA Disposition Services Commercial Venture (CV) Rejected by Government Liquidators (GL) YJ DLA Disposition Services Field Office Cancellation of Redistribution Order due to Change in Disposition Instructions
- 3. Authorized for intra-DLA use between DLA Disposition Services Field Offices and DLA Disposition Services. DLMS enhancement; Refer to ADC 449 and 1034B.
- 36 Air Terminal Identifier Code

DLMS Note:

- 1. Use to identify port of embarkation (POE) air terminal identifier codes for Outside Continental United States (OCONUS) shipments made via Defense Transportation System (DTS) air modes.
- 2. Authorized DLMS migration enhancement; see introductory DLMS 4f.
- 3. During the legacy MILSTRIP-DLMS transition period, transactions originating as MILSTRIP DIC AR, Materiel Release Confirmation, will carry this information in N901, qualifier TT, Terminal Code, due to the translator's inability to distinguish among code types).

Code Name

37 Water Terminal Identifier Code

DLMS Note:

- 1. Use to identify port of embarkation (POE) water terminal identifier code for OCONUS shipments made via DTS water modes.
- 2. Authorized DLMS migration enhancement; see introductory DLMS 4f.
- 3. During the legacy MILSTRIP-DLMS transition period, transactions originating as MILSTRIP DIC AR, Materiel Release Confirmation, will carry this information in N901, qualifier TT, Terminal Code, due to the translator's inability to distinguish among code types.
- 38 Consolidation and Containerization Point Code

DLMS Note:

- 1. Used to identify the SEVAN CCP code for OCONUS shipments made via DTS.
- 2. Authorized DLMS migration enhancement; see introductory DLMS 4f.
- 3. During the legacy MILSTRIP-DLMS transition period, transactions originating as MILSTRIP DIC AR, Materiel Release Confirmation, will carry this information in N901, qualifier TT, Terminal Code, due to the translator's inability to distinguish among code types.
- 58 Transportation Bill Code

DLMS Note:

Use in SA materiel release confirmation and historical materiel release confirmation transactions only to identify the appropriate transportation billing information.

78 Project Code

DLMS Note:

Use to identify special programs, exercises, projects, operations, and other purposes.

79 Priority Designator Code

DLMS Note:

Use to identify the supply priority assigned to this transaction.

80 Advice Code

DLMS Note:

Use for Materiel Release Denial.

81 Status Code

DLMS Note:

- 1. For Army/DLA interface only, applicable to LRO advice under TAV procedures, if status code is CB enter Management Code S, indicating LRO was denied because it matched an existing suffix for the document number (refer to ADC 191).
- 2. Multiple repetitions to identify the status associated with the transaction number/suffix is a DLMS enhancement; see introductory DLMS note 4a.
- 83 Supply Condition Code
- 84 Management Code
- 85 Country and Activity Code

DLMS Note:

- 1. Use with N901 code 4C to indicate the country code for the carrier address when outside the U.S.
- 2. DLMS enhancement; see introductory DLMS note 4a.
- 87 Subsistence Type of Pack Code

DLMS Note:

Use with subsistence items for denials.

88 Disposal Authority Code

DLMS Note:

Use only in disposal transactions to indicate that the designated materiel is authorized for shipment to a disposal or reutilization facility.

90 Precious Metals Indicator Code

DLMS Note:

Code Name

Use only in disposal transactions to identify the precious metal content of the specified materiel.

91 Automated Data Processing Equipment Identification Code

DLMS Note:

Use only in disposal transactions to identify ADPE identification information.

92 Reason for Disposal Code

DLMS Note:

Use only in disposal transactions for disposal release confirmation and historical disposal release confirmation transactions only to identify the reason for transfer of the shipment unit.

93 Type of Storage Code

DLMS Note:

Use for materiel release confirmation and historical materiel release confirmation transactions to identify the minimum level of storage environment required for the shipment unit.

98 Reason for Requisitioning Code

DLMS Note:

- 1. Use to identify Reason for Requisitioning Code identifying the use of the materiel.
- 2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.
- 99 Purpose Code

DLMS Note:

DLMS enhancement; see introductory DLMS note 4a.

A1 Ownership Code

DLMS Note:

When used for inter-Service ammunition-related ownership transfer with no physical movement of materiel, use to identify the new/gaining (to) ownership code. Refer to ADC 1020.

A9 Supplemental Data

DLMS Note:

- 1. Use to identify supplementary address/supplemental data.
- 2. During the legacy MILSTRIP-DLMS transition, this field will be used to perpetuate/populate the MILSTRIP Supplementary Address (SUPADD) field. During this time, field size is restricted to 6 positions; see introductory DLMS note 4d.
- 3. Expanded use of this field for supplemental data without size restriction is a DLMS enhancement; see introductory DLMS note 4a.
- 4. Under full DLMS, the requirement to pass activity address information within the supplemental data field will be streamlined. Activity address data previously contained in the SUPADD will be reflected exclusively in the N1 segment. Future streamlined data; see introductory DLMS note 4c.
- 5. During legacy MILSTRIP-DLMS transition, use on materiel release advice to for inter-Service ammunition or ammunition-related ownership transfer with no physical movement of materiel and no billing. Cite Signal Code M in conjunction with the supplemental data field constructed as follows: Service/Agency Code Y followed by the old (from) ownership code, the RIC to which ownership is transferred, and the new/gaining (to) ownership code. Refer to ADC 1020.
- AJ Utilization Code

DLMS Note:

- 1. Use to identify a specialized purpose associated with this document number.
- 2. Under legacy MILSTRIP, this is the first position of the document serial number.
- 3. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.
- AK Distribution Code

DLMS Note:

Future streamlined data; see introductory DLMS note 4c.

AL Special Requirements Code

DLMS Note:

1. Use in Disposal Release Denial and Disposal Supply Status.

Code Name

- 2. Under legacy MILSTRIP, this is carried in the required delivery data field.
- 3. The Special Requirements Code is a DLMS enhancement however, because this is perpetuated data from an earlier transaction it will be streamlined out in a full DLMS environment. See introductory DLMS notes 4a and 4c.
- BC Transportation Holding Delay Code

DLMS Note:

- 1. This is the Shipment Hold Code.
- 2. Use to identify the reason a shipment unit is not shipped. This includes delays occurring immediately after materiel is picked, packed, marked and made ready for shipment.
- 3. Use for materiel release confirmation, historical materiel release confirmation, and historical disposal release confirmation transactions to identify the reason shipment has been delayed.
- 4. Use for supply status response either self-initiated by transportation or in response to a follow-up request to identify the reason shipment has been delayed. See ADC 316.
- 5. Use to indicate of a DLA Disposition Services redistribution order is pending release (inventory on hold and not available for alternate use). See ADC 1207.
- DE Signal Code

DLMS Note:

Future streamlined data; see introductory DLMS note 4c.

DF Media and Status Code

DLMS Note:

Future streamlined data; see introductory DLMS note 4c.

FC Type Physical Inventory or Transaction History Code

DLMS Note:

- 1. Use only with 1/W0612/0200 Action Code W1.
- 2. DLMS enhancement. See introductory DLMS note 4a.
- GQ Group Qualifier Code

DLMS Note:

Use to identify the Material Management Aggregation Code (MMAC) for NSNs to be managed by a specific manager (i.e., system, program, aggregation, selected FSC, technology group). This is an Air Force-unique data element, meaningful to the Air Force only. Non-Air Force Components perpetuate without action.

A data maintenance action was approved in version 5010. The approved code/name is "MAC – Material Management Aggregation Code". The code source is identified as the Air Force Manual (AFMAN) 23-110, Volumes 1 and 2.

HD Discrepancy Status or Disposition Code

DLMS Note:

Use for materiel release confirmation when discrepant or deficient materiel has been shipped.

KJ Assured Delivery Indicator

DLMS Note:

- 1. Use to identify, or modify, the Delivery Priority/Special Processing Code for material that has an urgency of need within the maintenance shop and must be delivered within one hour of receipt of the issue request. Value will be X (1 hour issue) when applicable.
- 2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.
- 3. A data maintenance action was approved in version 5030. The approved code/name is DPC Delivery Priority Code. DoD systems will continue to use Qualifier KJ to represent the Delivery Priority/Special Processing Code until such time as a new ADC directs otherwise.
- RC Requirement Code

DLMS Note:

1. Use in conjunction with Special Requirements Code N (2/LQ01/Code AL or perpetuated from legacy MILSTRIP Required Delivery Date field). This is an Air Force-unique data element, meaningful to the

Code Name

Air Force only. Non-Air Force Components perpetuate without action.

2. A data maintenance action was approved in version 5010. The approved code/name is UJC - Urgency Justification Code. The code source is identified as the Air Force Manual (AFMAN) 23-110, Volumes 1 and 2.

RD Property Ownership Type Code

DLMS Note:

Use only for inter-Service ammunition-related ownership transfer with no physical movement of materiel. Use to identify the old (from) ownership code. DLMS enhancement. Refer to ADC 1020.

COG Cognizance Symbol

DLMS Note:

- 1. Use to identify the material cognizance symbol (COG) of the end item. Indicate NSL for non-stock numbered listed items. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.
- 2. DLMS enhancement.

IMC Item Management Code

DLMS Note:

- 1. Use to identify the Item Management Code (IMC) for integrated material management. Indicate NSL for non-stock numbered listed items. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.
- 2. DLMS enhancement.

MCC Material Control Code

DLMS Note:

- 1. Use to identify the Material Control Code (MCC) for special inventory reporting. Indicate NSL for non-stock numbered listed items. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.
- 2. DLMS enhancement.

SMI Special Material Identification Code

DLMS Note:

- 1. Use to identify the Special Material Identification Code (SMIC) for an end item. Indicate NSL for non-stock numbered listed items. This is a Navy-unique data element meaningful to Navy only; Non-Navy Components are to perpetuate without action.
- 2. DLMS enhancement.

T05 Inspection Parameters

DLMS Note:

- 1. Use to identify the Quality Inspection Code indicating the level of quality inspection to which the item must be procured and inspected.
- 2. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381.

LQ02 1271 Industry Code

X AN 1/30

Must use

Description: Code indicating a code from a specific

industry code list

LS Loop Header

Pos: 1050 Max: 1 Detail - Optional

Loop: LS Elements: 1

User Option (Usage): Used

Purpose: To indicate that the next segment begins a loop

Semantics:

1. One loop may be nested contained within another loop, provided the inner nested loop terminates before the outer loop. When specified by the standard setting body as mandatory, this segment in combination with "LE", must be used. It is not to be used if not specifically set forth for use. The loop identifier in the loop header and trailer must be identical. The value for the identifier is the loop ID of the required loop segment. The loop ID number is given on the transaction set diagram in the appropriate ASC X12 version/release.

Comments:

1. See Figures Appendix for an explanation of the use of the LS and LE segments.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>
LS01	447	Loop Identifier Code	M	AN	1/6	Must use

Description: The loop ID number given on the transaction set diagram is the value for this data

element in segments LS and LE

LX Assigned Number

Pos: 1100 Max: 1 Detail - Optional

Loop: 0312 Elements: 1

User Option (Usage): Used

Purpose: To reference a line number in a transaction set

DLMS Note:

- 1. Use the 2/LX/1100 loop in materiel release confirmation, historical materiel release confirmation, disposal release confirmation, and historical disposal release confirmation transactions to provide unique item tracking (UIT) information, for controlled materiels and when specific items identified by IUID were directed for release under authorized procedures.
- 2. Use for serial/lot number reporting of ammunition. Authorized DLMS enhancement for inter-service ammunition use. See DLMS introductory note 4f. See ADC 1040.
- 3. Use for UII, serial number, and batch/lot number, when this message supports the Retail Supply-Transportation Interface (See DLM 4000.25 Volume 3, Chapter 2) and when required by DoD IUID Supply Policy. Authorized DLMS enhancement. See ADC 1073.
- 4. Use a separate 2/LX/1100 loop for each identified item.

increase incrementally by 1.

Element Summary:

Ref	<u>ld</u>	Element Name	Req	Type	Min/Max	<u>Usage</u>
LX01	554	Assigned Number	M	N0	1/6	Must use
		Description: Number assigned for differentiation within a transaction set				
		DLMS Note: In the first 2/LX/1100 loop iteration, cite numeric 1. In each subsequent loop iteration,				

004030F945A0AP06 43 August 08, 2016

N9 Reference Identification

Pos: 1200 Max: >1 Detail - Optional

Loop: 0312 Elements: 4

User Option (Usage): Used

Purpose: To transmit identifying information as specified by the Reference Identification Qualifier

Syntax Rules:

- 1. R0203 At least one of N902 or N903 is required.
- 2. C0605 If N906 is present, then N905 is required.

Semantics:

- 1. N906 reflects the time zone which the time reflects.
- 2. N907 contains data relating to the value cited in N902.

DLMS Note:

- 1. This segment supports item identification based upon the UII or the serial number.
- 2. When this message supports the Retail Supply-Transportation Interface (See DLM 4000.25 Volume 3, Chapter 2), this transaction supports unique item identification (UII). Pending full transition to DoD IUID Supply Policy using the UII, the Materiel Release Confirmation will be prepared using the UII and the corresponding serial number and the batch/lot number when available when required by DoD IUID Supply Policy. Authorized DLMS enhancement. See ADC 1073.
- 3. In support of FIAR compliance for accountability and management of capital equipment candidates require serialization data visibility. Prepare Materiel Release Confirmation using the serial number. Include the UII when available. See PDC 1198.
- 4. This segment also provides for use of a batch/lot number, when applicable.
- 5. Repeat the N9 segment as needed to identify desired characteristics for the specific item.
- 6. With the exception of the limited implementation authorized by ADC 1073 in support of the Retail Supply-Transportation Interface, and use with capital equipment as noted, the entire 2/N9/1200 segment is a DLMS enhancement. See introductory DLMS note 4a.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>
N901	128	Reference Identification Qualifier	M	ID	2/3	Must use

Description: Code qualifying the Reference

Identification

Code Name

BT Batch Number

DLMS Note:

- 1. Use to identify the manufacturer's batch/lot number or other number identifying the production run. The batch/lot number may not exceed 20 characters in accordance with DoD IUID supply policy.
- 2. Use when this transaction supports the Retail Transportation and Supply Receipt and Acknowledgement Interchange interface with CMOS to provide the batch/lot number, when available. See ADC 1073.

SE Serial Number

DLMS Note:

- 1. Use to identify the serial number. The serial number may not exceed 30 characters in accordance with DoD IUID supply policy.
- 2. Authorized for intra-DLA use between DLA Disposition Services and DLA Disposition Field Offices to identify the serial number for Small Arms/Light Weapons (SA/LW). DLMS enhancement; Refer to ADC 449.
- 3. Use when this transaction supports the Retail Transportation and Supply Receipt and Acknowledgement Interchange SBSS interface with CMOS to provide the serial number. Serial number may be used alone for legacy items when UII is not assigned, otherwise use two occurrences of this segment to identify both the serial number and the UII. A maximum of 60 items may be identified for this

004030F945A0AP06 44 August 08, 2016

Code Name

interface. See ADC 1073.

U3 Unique Supplier Identification Number (USIN)

DLMS Note:

- 1. Use to identify the UII. The UII may not exceed 50 characters in accordance with DoD IUID Supply Policy.
- 2. Use when this transaction supports the Retail Transportation and Supply Receipt and Acknowledgement Interchange SBSS interface with CMOS to provide the UII. A maximum of 60 items may be identified for this interface. See ADC 1073.
- 3. A data maintenance action was approved in version 5020. The approved code/name is Ull -Department of Defense Unique Item Identifier.

N902	127	Reference Identification	Χ	AN	1/50	Must use
		Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier				
N903	369	Free-form Description	Χ	AN	1/45	Used
		Description: Free-form descriptive text				
N907	C040	Reference Identifier	0	Comp		Used
		Description: To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier				
		Syntax:				
		1. P0304 - If either C04003 or C04004 is present, then the other is required.				
		2. P0506 - If either C04005 or C04006 is present, then the other is required.				
N907-01	128	Reference Identification Qualifier	М	ID	2/3	Must use
		Description: Code qualifying the Reference				

Code Name

Identification

0N Attached To

DLMS Note:

- 1. Use with N901=BT (Batch Number) for Inter-Service Ammunition to identify the Lot Size for the lot number identified in N902. Authorized DLMS enhancement for inter-service ammunition use.
- 2. DLMS Component unique enhancement (DIC BG1/BG2, rp 25-29). See introductory DLMS note 4f. See ADC 1040.

N907-02 127 Reference Identification M AN 1/50 Must use

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

004030F945A0AP06 45 August 08, 2016

G62 Date/Time

Pos: 1300 Max: 10

Detail - Optional

Loop: 0312 Elements: 2

User Option (Usage): Used

Purpose: To specify pertinent dates and times

Syntax Rules:

- 1. R0103 At least one of G6201 or G6203 is required.
- 2. P0102 If either G6201 or G6202 is present, then the other is required.
- 3. P0304 If either G6203 or G6204 is present, then the other is required.

DLMS Note:

Use to identify dates associated with the UIT item.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>
G6201	432	Date Qualifier	X	ID	2/2	Must use

Description: Code specifying type of date

Code Name

36 Expiration Date

DLMS Note:

- 1. Use for Inter-Service Ammunition to identify the expiration date of the reported item or batch/lot. Authorized DLMS enhancement for inter-service ammunition.
- 2. DLMS Component unique enhancement (DIC BG1/BG2, rp 9-11). See introductory DLMS note 4f. See ADC 1040.
- **BK** Warranty Expiration

DLMS Note:

- 1. Use to indicate the date when the materiel warranty expires.
- 2. DLMS enhancement; See introductory DLMS note 4a.
- BL Manufacture

DLMS Note:

- 1. Use to identify the date of manufacture of the material identified.
- 2. DLMS enhancement; See introductory DLMS note 4a.
- BX Action

DLMS Note:

- 1. Use for Inter-Service Ammunition to identify the maintenance due date (the date that maintenance is due on the item). Authorized DLMS enhancement for inter-service ammunition.
- 2. DLMS Component unique enhancement (DIC BG1/BG2, rp 9-11). See introductory DLMS note 4f. See ADC 1040.

G6202 373 **Date** X DT 8/8 Must use

Description: Date expressed as CCYYMMDD where CC represents the first two digits of the

calendar year

N1 Name

Pos: 1400 Max: 1
Detail - Optional

Loop: 0312 Elements: 3

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

Syntax Rules:

- 1. R0203 At least one of N102 or N103 is required.
- 2. P0304 If either N103 or N104 is present, then the other is required.

Comments:

- 1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

DLMS Note:

Use to identify the manufacturer of the UIT item.

Element Summary:

<u>Ref</u> N101	<u>Id</u> 98	Element Name Entity Identifier Code	Req M	<u>Type</u> ID	Min/Max 2/3	<u>Usage</u> Must use
		Description: Code identifying an organizational entity, a physical location, property or an individual				
		Code Name MF Manufacturer of Goods				
N103	66	Identification Code Qualifier	Χ	ID	1/2	Must use
		Description: Code designating the system/method of code structure used for Identification Code (67)				
		CodeName33Commercial and Government Entity (CAGE)				
N104	67	Identification Code	Χ	AN	2/80	Must use
		Description: Code identifying a party or other code				

004030F945A0AP06 47 August 08, 2016

LE Loop Trailer

Pos: 1650 Max: 1 Detail - Mandatory

Loop: LS Elements: 1

User Option (Usage): Used

Purpose: To indicate that the loop immediately preceding this segment is complete

Semantics:

1. One loop may be nested contained within another loop, provided the inner nested loop terminates before the other loop. When specified by the standards setting body as mandatory, this segment in combination with "LS", must be used. It is not to be used if not specifically set forth for use. The loop identifier in the loop header and trailer must be identical. The value for the identifier is the loop ID of the required loop beginning segment. The loop ID number is given on the transaction set diagram in the appropriate ASC X12 version/release.

Comments:

1. See Figures Appendix for an explanation of the use of the LE and LS segments.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>
LE01	447	Loop Identifier Code	M	AN	1/6	Must use

Description: The loop ID number given on the transaction set diagram is the value for this data

element in segments LS and LE

FA1 Type of Financial Accounting Data

Pos: 1700 Max: 1

Detail - Optional

Loop: 0314 Elements: 2

User Option (Usage): Used

Purpose: To specify the organization controlling the content of the accounting citation, and the purpose associated with the accounting citation

Semantics:

- 1. FA101 Identifies the organization controlling the assignment of financial accounting information.
- 2. FA102 Identifies the purpose of the accounting allowance or charge information.

Element Summary:

Ref	<u>ld</u>	Elem	ent Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>
FA101	559	Ager	ncy Qualifier Code	М	ID	2/2	Must use
			cription: Code identifying the agency assigning ode values				
			S Note: This data element is required for X12				
			ax. Select the code that corresponds to the nization that is responsible for the assignment				
		of the	e DoDAAC used to construct the controlling ment number for the transaction.				
		Code	<u>Name</u>				
		DF	Department of Defense (DoD)				
			DLMS Note:				
			Use to indicate that the Component is a Department Agency. Refer to ADC 1043.	artment o	f Defense a	agency, including	Defense Logistics
		DN	Department of the Navy				
			DLMS Note:				
			Includes the United States Marine Corps.				
		DY	Department of Air Force				
		DZ	Department of Army				
		FG	Federal Government				
FA102	1300	Serv	ice, Promotion, Allowance, or Charge Code	0	ID	4/4	Must use
			cription: Code identifying the service, otion, allowance, or charge				
		Code	<u>Name</u>				
		A170	Adjustments				
			DLMS Note:				
			Use only for adjustments not specified by any	other co	de.		
		A520	Base Charge				
			DLMS Note:				
			Use for materiel charges only.				
		C930	Export Shipping Charge				
		D340	Goods and Services Charge				
			DLMS Note:				
			Use for both materiel and related services.				
		F060	Other Accessorial Service Charge				
		F560					
		1260	Transportation Direct Billing				
			DLMS Note:				
			Use for non-premium transportation.				

DLMS Implementation Convention (IC) 945A Materiel Release Advice PDC 1198 ADC 48 , 48C, 48D, 48E, 76, 77, 121, 161, 165, 169, 191, 197, 205A, 214, 221, 221A, 253, 284, 284A, 316, 316B, 316C, 316D, 344, 347, 373, 381, 381A, 396, 405, 411, 435, 436, 449, 466, 1009A, 1020, 1034B, 1040, 1043, 1043C, 1055, 1073, 1110, 1136, 1156, 1161, 1164 and 1207 DLM 4000.25

Code Name

R060 Packing, Crating, and Handling Charge

FA2 Accounting Data

Pos: 1800 Max: >1 Detail - Mandatory

Loop: 0314 Elements: 2

User Option (Usage): Must use

Purpose: To specify the detailed accounting data

DLMS Note:

Use this 2/FA2/180 segment to identify the various components of the line of accounting.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>
FA201	1196	Breakdown Structure Detail Code	М	ID	2/2	Must use

Description: Codes identifying details relating to a reporting breakdown structure tree

Code Name

B5 Fund Code

11 Abbreviated Department of Defense (DoD) Budget and Accounting Classification Code (BACC)

IA Security Cooperation Implementing Agency

DLMS Note:

- Use for DLA Disposition Services release confirmation for FMS requisitioned materiel. Refer to ADC 1156.
- 2. Qualifier IA is a migration code approved for use in X12 version 7020.
- L1 Accounting Installation Number

DLMS Note:

Use to indicate the Authorization Accounting Authority (AAA)/Accounting and Disbursing Station Number (ADSN)/Fiscal Station Number (FSN).

S1 Security Cooperation Customer Code

DLMS Note:

- 1. Use for DLA Disposition Services release confirmation for FMS requisitioned materiel. Refer to ADC 1156
- Qualifier S1 is a migration code approved for use in X12 version 7020.
- S2 Security Cooperation Case Designator

DLMS Note:

- 1. Use for DLA Disposition Services release confirmation for FMS requisitioned material with associated freeze action pending approval. Refer to ADC 1156.
- 2. Qualifier S2 is a migration code approved for use in X12 version 7020.

FA202 1195 Financial Information Code M AN 1/80 Must use

Description: Code representing financial

accounting information

SE Transaction Set Trailer

Pos: 0200 Max: 1
Summary - Mandatory
Loop: N/A Elements: 2

User Option (Usage): Must use

Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Comments:

1. SE is the last segment of each transaction set.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>
SE01	96	Number of Included Segments	М	N0	1/10	Must use
		Description: Total number of segments included in a transaction set including ST and SE segments				
SE02	329	Transaction Set Control Number	М	AN	4/9	Must use
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set DLMS Note: <i>Cite the same number as the one cited in ST02.</i>				